

## Scissor Lift

Used Scissor Lift Corona - Scissor lifts are industrial machines that rely on a configuration of crisscrossed linked steel arms. Scissor lifts create an “X” support network to facilitate vertical lifting. The scissor lift has a rectangular platform attached to the top of it. To maintain operator safety, there are support railings at the top of the platform. This machine maintains a low profile that is ideal for hard surfaces such as concrete and other compact surfaces. This equipment relies on either a combustion engine or an electric motor to create the lift and transport the machine. Since the scissor lift functions on a vertical plane, if it needs to be repositioned horizontally, the operator will have to move it into place. Rough terrain and regular lift models rely on the same lifting technology to maneuver the lifting components. The rough terrain is specially designed for traversing uneven ground. These machines rely on large all-terrain tires to allow rough terrain scissor lifts to traverse difficult locations while offering higher ground clearance. Some scissor lifts have 4WD to travel through difficult and muddy locations. Thanks to the higher center of gravity lower lifting heights are available. If you have never operated one before, scissor lifts can seem strange or intimidating. Images of swaying in the wind and being precariously balanced may come to mind. Feel secure knowing you will not feel the lift even moving and you will be in a stable position. Rigorous safety testing has to be completed prior to selling these machines. It is natural to feel unsure of these units until you can familiarize yourself with them. Maintain safety procedures at all times. Depending on the application, there are a variety of electric scissor lift models to pick from. The scissor lift model you will need will largely depend on the types of jobs you will need to do. Key factors to consider include how high you will need to reach and the types of loads you will be moving. Extreme heights can be attained by different models depending on your specific application. Smaller models are commonly used for interior applications including warehouses and freight or factory settings. There is no reason to buy the biggest and best model on the market if you are not going to use the highest capacity. Optional railings and platforms are available on electrical scissor lifts to provide maximum safety. Scissor lifts are reliable and safe for a multitude of applications. If these machines did not follow strict safety rules and particular inspections, they would not be for sale across the globe. Scissor lifts enable us to finish tasks that normally are inaccessible or unreachable otherwise. As these machines vertically elevate, the machine is transported into the correct location before lifting occurs. Before the lift is engaged, the operator will properly position the unit. Many safety features have been incorporated into these units. Following operational guidelines is essential for everyone’s safety. The scissor lift’s safety basket creates a secure work area compared to trying to accomplish similar tasks from a ladder or scaffolding. Most scissor lifts utilize internally mounted batteries located inside the base of the machine to provide power. Charging is required after a long sitting for an extended time or working a long shift. Batteries may be changed every 12 hours or charged many times throughout the day. To facilitate scissor lift charging, the operator can park the machine close to an electrical outlet in a well-ventilated place. When the machine is parked, the emergency shut-off switch becomes engaged to stop. The emergency shut-off switch is the big red button located in the basket or the lift close to the control box or the charger. Newer scissor lifts commonly have their battery charger on the right side of the unit. Older machines may feature a battery charger on the rear of the machine. The charger is plugged into the AC extension cord in an area that is well-ventilated and then the extension cord is plugged into an electrical outlet. It is essential that the electrical cord length on the battery charger is short to prevent being run over or damaged. There is a high possibility for extreme danger if excess extension cord length dropped out of the battery charger storage area during operation. Ideally, all of the lights on the charger should become illuminated after the scissor lift is plugged in. The batteries will automatically begin charging once plugged in. The battery lights will switch to green once complete charging has occurred and the charger will shut off. Older scissor lifts need to use a meter to show zero volts once they are completely charged and this charger also turns off after completion. After the

batteries are completely charged the scissor lift can complete another shift. It is common for warehouses and businesses to have numerous batteries continually charging to keep the scissor lift operating 24 hours a day.